

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24861

Stream : Greasy Creek

Applicant : Brown County Board of Commissioners  
Mark Skirvin  
PO Box 2088  
Nashville, IN 47448-2088

Description : A new bridge will be constructed over Greasy Creek to carry Salt Creek Trail across the stream. The new structure will be a 3-span RC-slab bridge with span lengths of 24', 32', and 24'. The structure will have an out-to-out length of 24.5' and a clear roadway width of 24'. The spill through abutments will have 2:1 sideslopes armored with riprap. The abutments and piers will be skewed 0 degrees to align with streamflow. A temporary construction access crossing will be placed within the right-of-way on the upstream or downstream side of the proposed bridge. It will be completely removed from the floodway upon completion of the bridge. The project is federally funded. Details of the project are contained in information received electronically at the Division of Water on May 23, 2008 and in plans and information received at the Division of Water on June 13, 2008.

Location : Approximately 100' upstream of the confluence with North Fork Salt Creek at Nashville, Washington Township, Brown County  
SE¼, NW¼, SW¼, Section 19, T 19N, R 3E, Nashville Quadrangle  
Quad Code: 3908622  
UTM Coordinates: Downstream 4339234 North, 565196 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24862

Stream : North Fork Salt Creek

Applicant : Brown County Board of Commissioners  
Mark Skirvin  
PO Box 2088  
Nashville, IN 47448-2088

Butler Fairman & Seufert Civil Engineers  
Christian Rauch  
8450 Westfield Boulevard, Suite 300  
Indianapolis, IN 46240-5920

Description : A 2335' long, 12' wide paved pedestrian trail will be constructed adjacent to the stream. The trail will be constructed at grade. In addition to the trail, a 3-span RC-slab bridge with span lengths of 24', 32', and 24' will be constructed to carry pedestrian traffic across Grassy Creek. The structure will have an out-to-out length of 24.5' and a clear roadway width of 24'. Details of the project are contained in information received electronically at the Division of Water on May 23, 2008 and in plans and information received at the Division of Water on June 13, 2008.

Location : Beginning approximately 500' north and 300' west of the State Route 46 stream crossing and continuing 2335 southeast along the stream

at Nashville, Washington Township, Brown County  
SW $\frac{1}{4}$ , SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 19, T 19N, R 3E, Nashville Quadrangle  
Quad Code: 3908622  
UTM Coordinates: Downstream 4339561 North, 564916 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24880

Stream : Lye Creek

Applicant : Montgomery County  
Brett Cating  
818 North Whitlock Avenue  
Crawfordsville, IN 47933-1448

Description : The existing steel pony truss bridge carrying County Road 475 East over Lye Creek will be replaced with a new structure on a new alignment approximately 60' east of the existing alignment of County Road 475 East. The new structure will be a 2-span prestressed concrete I-beam bridge with span lengths of 95' each. The structure will have an out-to-out length of 34'-7" and a clear roadway width of 34'-1 1/2". The spill through abutments will have 2:1 sideslopes armored with riprap over geotextile. The abutments and piers will be skewed 15 degrees to align with the streamflow. The existing structure will be completely removed. The project is federally funded. Details of the project are contained in information received electronically at the Division of Water on June 17, 2008 and in plans and information received at the Division of Water on

Location : At the County Road 475 East creek crossing approximately 0.4 miles south of County Road 575 North  
near Darlington, Franklin Township, Montgomery County  
Section 1, T 19N, R 4W

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24881

Stream : Junk Ditch

Applicant : Verizon Wireless  
Donald Hoefelmeyer  
250 E 96th Street, Suite 175  
Indianapolis, IN 46240-3753

Description : Expansion of an existing 22' by 10' wireless carrier equipment platform at an existing wireless communications tower for installation of an emergency generator within the Junk Ditch floodway. The 14' by 6'-2" platform expansion will be supported by four 18" diameter concrete piers adjacent to the existing equipment platform. Finish grade of the tower site is 755.4', base flood elevation of Junk Ditch at the tower site is 758.4', top of existing platform and platform expansion is 761.4'. Details of the project are contained in information received electronically at the Division of Water on June 17, 2008 and in plans and information received at the Division of Water on

Location : Tower site address is 1628 Catalpa Street approximately 765' west of bank of Junk Ditch.  
at Fort Wayne, Wayne Township, Allen County  
Fort Wayne West Quadrangle  
Quad Code: 4108512

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24882

Stream : St. Joseph River

Applicant : City of South Bend  
Department of Public Works  
Rob Nichols  
1316 County-City Building  
South Bend, IN 46601

Description : The purpose of this project is to maintain and stabilize Combined Sewer Overflow (CSO) Outlet #4. The two existing degraded outfall structures, a 24" RCD and an 8" CMP will be removed and replaced with a 30" RCP. A pre-cast concrete end section will be installed at the outfall of the new pipe. The slope of the riverbank will be stabilized with permanent seeding, turf reinforcement mat, and tree planting. The toe of the slope will be stabilized with revetment riprap over a geotextile fabric. Approximately 550 square feet of riprap will fall below the Ordinary High Water Mark of the St. Joseph River. Fifty-five (55) linear feet of shoreline will be affected by the project. Details of the project are contained in information received electronically at the Division of Water on June 17, 2008 and in plans and information received at the Division of Water on

Location : The site is located northeast of the intersection of the intersection of Riverside Drive and Angela Boulevard, along the left (west) bank of the St. Joseph River at South Bend, Portage Township, St. Joseph County  
NE¼, Section 2, T 37N, R 2E, South Bend West Quadrangle  
Quad Code: 4108663

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24884

Stream : White Lick Creek

Applicant : Town of Brownsburg Parks & Recreation  
Department  
Phillip Parnin  
111 Eastern Avenue  
Brownsburg, IN 46112-1405

Description : The approach ramps will be re-constructed to an existing steel/timber pedestrian bridge that crosses White Lick Creek. The existing pedestrian bridge is a 8 foot width by 50 foot length single span steel frame and timber deck structure that provides access from the Northridge Subdivision to Arbuckle Acres Park in the Town of Brownsburg. No part of the existing bridge structure, bridge abutments, or stream channel will be altered by the proposed construction. The existing approach ramps are constructed with asphalt surface, timber retaining walls, and wood fence railing. The existing approach ramps will be replaced to their current exact height, width and length using reinforced concrete retaining walls, a concrete surface, and steel handrail. The purpose of this re-construction is to address maintenance and safety concerns related to the existing bridge approaches. This project is being funded by the Town of Brownsburg. Details of the project are contained in information received electronically at the Division of Water on June 17, 2008 and in plans and information received at the Division of Water on

Location : Located in Arbuckle Acres Park in the Town of Brownsburg, on the westerly side of Green Street (SR 267), approximately 1¼ mile north of US 136 at Brownsburg, Lincoln Township, Hendricks County  
Section 11, T 16N, R 1E, Brownsburg Quadrangle  
Quad Code: 3908674

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24886

Stream : Willow Creek

Applicant : Acres Inc  
Shane Perfect  
1802 Chapman Road  
Huntertown, IN 46748-9723

Description : A single span steel pedestrian bridge will be constructed to replace an existing failed wooden pedestrian bridge. The new structure will have a span length of 60' and a width of 5'. The existing wooden bridge will be completely removed. Concrete footers will be placed at both ends approximately 6' behind existing top of bank with existing slope to remain in a natural state. Details of the project are contained in information received electronically at the Division of Water on June 18, 2008 and in plans and information received at the Division of Water on June 9, 2008.

Location : Approximately 100' downstream of the confluence with Unnamed Tributary Willow Creek (Ringwalt Ditch)  
near Huntertown, Perry Township, Allen County  
NE¼, NW¼, NE¼, Section 9, T 32N, R 12E, Huntertown Quadrangle  
Quad Code: 4108522  
UTM Coordinates: Downstream 4568061 North, 655870 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24887

Stream : Little Calumet River

Applicant : Blue Beacon International  
Dana Morse  
500 Graves Boulevard  
Salina, KS 67402-4306

Description : A 16' by 100' area will be filled in the northwest (left) floodplain of Little Calumet River/Burns Ditch. The fill will vary in depth from 0" on the landward side to approximately 0' on the streamward side. It will be set 70' back from the top of the bank and will have <10% sideslopes. The finished elevation of the fill is 597.6't, NGVD. The building addition will be constructed on top of the completed fill. Details of the project are contained in information received electronically at the Division of Water on June 18, 2008 and in plans and information received at the Division of Water on

Location : Along the northwest bank of the Little Calumet River (Burns Ditch), extending approximately 800' downstream (northeast) of the State Road 51 river crossing at Lake Station, Hobart Township, Lake County  
Section 9, T 36N, R 7W, Portage Quadrangle  
Quad Code: 4108752

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24890

Stream : Ohio River

Applicant : John E. Peerman  
500 Rehtin Road  
Evansville, IN 47712-4742

Description : Add on deck to existing home. The use is for pleasure, structure will be made from all wood. Location is on back of the home facing the river. dimensions are 16' x 32' deck is elevated 150" from the ground. Details of the project are contained in information received electronically at the Division of Water on June 19, 2008 and in plans and information received at the Division of Water on

Location : 4720 Old Henderson Road  
at Evansville, Perry Township, Vanderburgh County  
Section 29

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24891

Stream : Back Creek

Applicant : Caleb S Peek  
8170 US Highway 50 East  
Bedford, IN 47421

Description : On recently purchased property bordering the south side of US Highway 50 and Backcreek I will be removing sand, stone, and gravel on the east bank of said creek. This is excess material that has washed up on the bank of Backcreek. The properties boundary goes to the center of the creek, and we will be removing material on our side of the creek bank only. The approximate size of the removal area is 300' long by 30'-50' wide by 5'-7' deep. Total number of yards removed would be approximately 2,000. These materials will be used to fill in washed out areas on the property, build a driveway, and materials for home construction. Details of the project are contained in information received electronically at the Division of Water on June 17, 2008 and in plans and information received at the Division of Water on

Location : 8170 US Hwy 50 East; The area is located on the east bank of Back Creek on the property that borders US Highway 50 East near Bedford, Guthrie Township, Lawrence County Section 16, T 5N, R 2E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : PL-21067

Lake : Sechrist Lake

Applicant :

Description : A new underwater beach will be constructed in front of the property of the applicant on Sechrist Lake to provide an underwater beach. The beach will consist of a 2" to 3" thick layer of (7/64 inch clean, washed pea gravel/sand) placed directly on the lakebed. The beach will begin approximately 15' (north/south/east/west) of the (northern/southern/eastern/western) property line and will extend (northerly/southerly/easterly/westerly) across 20' of the 50' frontage. It will have a maximum lakeward projection of 20' or a depth of 5' below the legal level of the lake. Details of the project are contained in information received electronically at the Division of Water on June 16, 2008 and in plans and information received at the Division of Water on

Location : 4359 Sullivan Road  
at Leesburg, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21068

Lake : Sylvan Lake

Applicant : Feuser Contracting, Inc  
Robert B Eddy  
7702 Bluffton Road  
Fort Wayne, IN 46809-2912

Description : A new underwater beach will be constructed in front of the property of the applicant on Sylvan Lake to provide a usable swimming area. The beach will consist of a 6" to 8" thick layer of (7/64 inch clean, washed pea gravel/sand) placed directly on the lakebed. The beach will begin approximately 50' east of the western property line and will extend across 25' of the 100' frontage. It will have a maximum lakeward projection of 18' or a depth of 6' below the legal level of the lake. Details of the project are contained in information received electronically at the Division of Water on June 16, 2008 and in plans and information received at the Division of Water on

Location : 871 Harbor Court  
at Rome City, Orange Township, Noble County  
Section 15, T 35N, R 10E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21069

Lake : Sylvan Lake

Applicant : Feuser Contracting, Inc  
Robert B Eddy  
7702 Bluffton Road  
Fort Wayne, IN 46809-2912

Description : A new underwater beach will be constructed in front of the property of the applicant on Sylvan Lake to provide a usable swimming area. The beach will consist of a 6" to 8" thick layer of (7/64 inch clean, washed pea gravel/sand) placed directly on the lakebed. The beach will begin approximately 50' west of the eastern property line and will extend westerly across 25' of the 100' frontage. It will have a maximum lakeward projection of 18' or a depth of 6' below the average normal level of the lake. Details of the project are contained in information received electronically at the Division of Water on June 16, 2008 and in plans and information received at the Division of Water on

Location : 867 Harbor Court  
at Rome City, Orange Township, Noble County  
Section 15, T 35N, R 10E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21070

Lake : Lake Wawasee

Applicant : Stanley Banyon  
10273N South Channel Drive  
Syracuse, IN 46567-7512

Description : A 30' x 25' area at the dead end channel will be dredged out in a one step method with a hydraulic pump, to a maximum depth of 4' in the center of the channel tapered up to about 5' out from the sides to maintain boat traffic. All dredge material will be pumped to trucks and immediately hauled off site to an upland site for proper disposal. Details of the project are contained in information received electronically at the Division of Water on June 17, 2008 and in plans and information received at the Division of Water on

Location : 10273N South Channel Drive  
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21072

Lake : Lake Wawasee

Applicant : Venice Endsley  
11297 North Cedar Point High Road  
Syracuse, IN 46567-8525

Description : An existing concrete seawall will be refaced across a portion of the 100' frontage of the applicant on Lake Wawasee to prevent deterioration. The refacing will consist of re-enforced concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 13" inches and will be sloped on the lakeward side. A 36" inch wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on June 19, 2008 and in plans and information received at the Division of Water on

Location : 11297 North Cedar Point High Road; east side of Lake Wawasee  
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21073

Lake : Big Chapman Lake

Applicant : Jon W Greco  
Donald P Rainey  
80 EMS C 19, Lot 50 Arrowhead Prk  
Warsaw, In 46582

Description : An existing concrete seawall will be refaced across a portion of the 39' frontage of the applicant on Big Chapman Lake to prevent deterioration. The refacing will consist of re-enforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" inches and will be sloped on the lakeward side. A 36" inch wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on June 19, 2008 and in plans and information received at the Division of Water on

Location : 80 EMS C19 LN; south side of Big Chapman Lake  
near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21074

Lake : Winona Lake

Applicant : Richard E Schroeder  
207 Lakeside Drive  
Winona Lake, IN 46590-2102

Description : An existing concrete seawall will be refaced across a portion of the 89' frontage of the applicant on Winona Lake to prevent deterioration. The refacing will consist of re-enforced concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 13" inches and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Additional 15' of glacial seawall will be added. Details of the project are contained in information received electronically at the Division of Water on June 19, 2008 and in plans and information received at the Division of Water on

Location : 207 Lakeside Drive; north side of Winona Lake  
near Winona Lake, Wayne Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21075

Lake : Big Chapman Lake

Applicant : Donald P Rainey  
72 EMS C19, Lot 49 Arrowhead Park  
Warsaw, IN 46582

Description : An existing concrete seawall will be refaced across a portion of the 36' frontage of the applicant on Big Chapman Lake to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" inches and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on June 19, 2008 and in plans and information received at the Division of Water on

Location : 72 EMS C19 LN; south side of Big Chapman Lake  
near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21077

Lake : Big Chapman Lake

Applicant : Jon T and Linda S Smith  
68 EMS C19 Lane  
Warsaw, IN 46582-9195

Description : An existing concrete seawall will be refaced across a portion of the 35' frontage of the applicant on Big Chapman Lake to prevent deterioration. The refacing will consist of re-inforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on June 19, 2008 and in plans and information received at the Division of Water on

Location : 68 EMS C19 LN; South side of Big Chapman Lake  
near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11